

JETKING

FRP MANHOLE COVER

CROSSIKA INDUSTRIES LLP

📍 Survey No. 571, P-2, Plot No. 3, Shed No. 1, Khokra Industries,
Khokra Hanuman Road, Polo Circle, Bela(Rangpar) Morbi-363642.

✉️ jetkingfrp@gmail.com

Maulik Patel	Nirmal Patel	Shubham Patel
☎️ +91 99787 43000	☎️ +91 90999 56781	☎️ +91 90999 56782
Vikram Patel	Vallabh Patel	
☎️ +91 99787 12341	☎️ +91 99787 12342	



JETKING

FRP MANHOLE COVER

QUALITY *with*
UNBEATABLE PROTECTION



FRP MANHOLE COVER
COLLECTION



WHO WE ARE?

Enter the realm of "JETKING" your go-to source for frp manhole covers, water gully covers, and gratings. Our promise is to offer high-quality fiber solutions, placing importance on excellence, customer satisfaction, and ethical standards. Stemming from our team's commitment, we engaged in extensive research efforts to provide unmatched durability in fiber products. With unflagging enthusiasm, we serve customers across the country, introducing our innovative solutions to every part of India. Immerse yourself in the world of JETKING, where dedication meets quality, and our ethos is defined by durability.

VISION

Our goal at JETKING is to establish ourselves as the premier global provider of fiber products, establishing new benchmarks for sustainability, innovation, and durability. We are committed to developing solutions that elevate the reputation of India, emphasizing ethical practices and exceptional craftsmanship. By reshaping industry norms, we strive to surpass international standards, having a substantial influence on environmental awareness and safety. Join us as we lead the path towards a stronger, more sustainable future, proudly manufactured in India.

MISSION VISION

At JETKING, we are committed to revolutionizing the fiberglass industry by setting new standards. Our goal is to provide innovative solutions while placing customer satisfaction, ethical conduct, and exceptional product quality at the forefront. Our dedication to excellence and integrity is evident in every interaction, as we constantly seek to foster innovation and dependability in all aspects of our work.

STRENGTH YOU NEED IN EVERY MANHOLE COVER



Understanding Fiber- Reinforced Polymer (FRP)

FRP is a composite material that combines a polymer matrix with reinforced fibers. The reinforcement usually involves glass fibers, while the polymer can be epoxy, vinyl ester, or polyester thermosetting plastics, and some applications still use phenol-formaldehyde resins. FRPs are used in various industries including aerospace, automotive, marine, construction, and ballistic armor due to their exceptional properties and versatility.

JETKING

FRP MANHOLE COVER

FRP MANHOLE COVER



AVAILABLE COLOURS :



FRP - 10X10

FREME SIZE (INCH/MM) : 10"X10" | 254X254MM

CLEAR OPENING (INCH/MM) : 8"X8" | 203X203MM

WBC (CAPACITY) : 5 TON



AVAILABLE COLOURS :



FRP - 12X12

FREME SIZE (INCH/MM) : 12"X12" | 305X305MM

CLEAR OPENING (INCH/MM) : 9.9"X9.9" | 252X252MM

WBC (CAPACITY) : 5 TON



AVAILABLE COLOURS :



FRP - 15X15

FREME SIZE (INCH/MM) : 15"X15" | 381X381MM

CLEAR OPENING (INCH/MM) : 12.8"X12.8" | 326X326MM

WBC (CAPACITY) : 5 TON



AVAILABLE COLOURS :



FRP - 18X18

FREME SIZE (INCH/MM) : 18"X18" | 457X457MM

CLEAR OPENING (INCH/MM) : 15.75"X15.75" | 400X400MM

WBC (CAPACITY) : 5 TON



AVAILABLE COLOURS :



FRP - 18X24

FREME SIZE (INCH/MM) : 18"X24" | 457X610MM

CLEAR OPENING (INCH/MM) : 15.5"X21.5" | 548X395MM

WBC (CAPACITY) : 5 TON



AVAILABLE COLOURS :



FRP - 21X21

FREME SIZE (INCH/MM) : 21"X21" | 533X533MM

CLEAR OPENING (INCH/MM) : 18.6"X18.6" | 474X474MM

WBC (CAPACITY) : 5 TON



AVAILABLE COLOURS :



FRP - 24X24

FREME SIZE (INCH/MM) : 24"X24" | 600X600MM

CLEAR OPENING (INCH/MM) : 21.6"X21.6" | 548X548MM

WBC (CAPACITY) : 5 TON



AVAILABLE COLOURS :



FRP - 28X28

FREME SIZE (INCH/MM) : 28"X28" | 700X700MM

CLEAR OPENING (INCH/MM) : 25"X25" | 625X625MM

WBC (CAPACITY) : 5 TON



AVAILABLE COLOURS :



FRP - 30X30

FREME SIZE (INCH/MM) : 30"X30" | 750X750MM

CLEAR OPENING (INCH/MM) : 27"X27" | 685X685MM

WBC (CAPACITY) : 5 TON



AVAILABLE COLOURS :



FRP - 36X36

FRAME SIZE (INCH/MM) : 36"X36" | 900X900MM

CLEAR OPENING (INCH/MM) : 32"X32" | 810X810MM

WBC (CAPACITY) : 5 TON



AVAILABLE COLOURS :



FRP - 24X24

FRAME SIZE (INCH/MM) : 24"X24" | 600X600MM

CLEAR OPENING (INCH/MM) : 21.6"X21.6" | 550X550MM


WBC (CAPACITY) : 5 TON

INSTALLATION PROCEDURE


At JETKING, we are committed to revolutionizing the fiberglass industry by setting new standards. Our goal is to provide innovative solutions while placing customer satisfaction, ethical conduct, and exceptional product quality at the forefront. Our dedication to excellence and integrity is evident in every interaction, as we constantly seek to foster innovation and dependability in all aspects of our work.

CARE SHOULD BR TAKEN HANDLING MANHOLE COVER AND FRAMES TO PREVENT THE DAMAGE OF EDGES AND CORNERS.

- Make Sure That Top Level Of Frame Should Match The Road.
- Prepare Concrete Bed Considering Height Of The Frame.
- Frame Should Be Allowed To Set In Concrete For A Minimum Time Of 48 Hrs. Before Its Use.
- Please Note Frame Is Not Load Bearing And
- Therefore Has To Be Completely Supported From All Sides.



✓ CORRECT



✗ WRONG